


INDIANA. N & W 2 P. M.



Quantity of the part which lies within Vincennes District. 5,279.19
 Township N°X North, Range N°I West of 2nd Meridian Surveyed by William Harris, 1816,
 & Tho. Brown, 1819.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
25.26	Part level & part broken 2nd rate W.P. Oak Hickory	33.34	Gravelly & middling quality Oak, Beech, Poplar, Ash.	31.32	Good bottom middling good for farming
25.26	Same	34.35	Same	32.33	High & some East high bottom, some Poplar, middling good
25.26	Broken 2nd rate timber same with bark	35.36	Same	33.34	Same
26.27	Part level & part broken 2nd rate timber same	36.37	Same	34.35	Same
27.28	Broken 2nd rate	37.38	Same	35.36	Same
13.14	Same	38.39	Same	36.37	Same
13.14	Same first 2nd rate	39.40	Same	37.38	Same
13.14	Same broken	40.41	Same	38.39	Same
14.15	Same	41.42	Same	39.40	Same
14.15	Same	42.43	Same	40.41	Same
14.15	Same	43.44	Same	41.42	Same
14.15	Same	44.45	Same	42.43	Same
14.15	Same	45.46	Same	43.44	Same
14.15	Same	46.47	Same	44.45	Same
14.15	Same	47.48	Same	45.46	Same
14.15	Same	48.49	Same	46.47	Same
14.15	Same	49.50	Same	47.48	Same
14.15	Same	50.51	Same	48.49	Same
14.15	Same	51.52	Same	49.50	Same
14.15	Same	52.53	Same	50.51	Same
14.15	Same	53.54	Same	51.52	Same
14.15	Same	54.55	Same	52.53	Same
14.15	Same	55.56	Same	53.54	Same
14.15	Same	56.57	Same	54.55	Same
14.15	Same	57.58	Same	55.56	Same
14.15	Same	58.59	Same	56.57	Same
14.15	Same	59.60	Same	57.58	Same
14.15	Same	60.61	Same	58.59	Same
14.15	Same	61.62	Same	59.60	Same
14.15	Same	62.63	Same	60.61	Same
14.15	Same	63.64	Same	61.62	Same
14.15	Same	64.65	Same	62.63	Same
14.15	Same	65.66	Same	63.64	Same
14.15	Same	66.67	Same	64.65	Same
14.15	Same	67.68	Same	65.66	Same
14.15	Same	68.69	Same	66.67	Same
14.15	Same	69.70	Same	67.68	Same
14.15	Same	70.71	Same	68.69	Same
14.15	Same	71.72	Same	69.70	Same
14.15	Same	72.73	Same	70.71	Same
14.15	Same	73.74	Same	71.72	Same
14.15	Same	74.75	Same	72.73	Same
14.15	Same	75.76	Same	73.74	Same
14.15	Same	76.77	Same	74.75	Same
14.15	Same	77.78	Same	75.76	Same
14.15	Same	78.79	Same	76.77	Same
14.15	Same	79.80	Same	77.78	Same
14.15	Same	80.81	Same	78.79	Same
14.15	Same	81.82	Same	79.80	Same
14.15	Same	82.83	Same	80.81	Same
14.15	Same	83.84	Same	81.82	Same
14.15	Same	84.85	Same	82.83	Same
14.15	Same	85.86	Same	83.84	Same
14.15	Same	86.87	Same	84.85	Same
14.15	Same	87.88	Same	85.86	Same
14.15	Same	88.89	Same	86.87	Same
14.15	Same	89.90	Same	87.88	Same
14.15	Same	90.91	Same	88.89	Same
14.15	Same	91.92	Same	89.90	Same
14.15	Same	92.93	Same	90.91	Same
14.15	Same	93.94	Same	91.92	Same
14.15	Same	94.95	Same	92.93	Same
14.15	Same	95.96	Same	93.94	Same
14.15	Same	96.97	Same	94.95	Same
14.15	Same	97.98	Same	95.96	Same
14.15	Same	98.99	Same	96.97	Same
14.15	Same	99.00	Same	97.98	Same

Township N. 10 North, Range N. 1 West of 2nd Meridian

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the Soil
A Beech	12	14 1/2	E 25		
a do	12	15 1/2	N 55		
B W. Oak	24	13 1/2	N 10		
b Beech	18	14 1/2	E 24		
C Logwood	4	13 1/2	E 4		
c Hickory	11	17 1/2	N 14		
D W. Oak	18	14 1/2	N 9		
d Beech	4	15 1/2	E 44		
E W. Oak	4	15 1/2	E 14		
e Beech	7	18 0	N 15		
F Beech	8	15 0	N 14		
f Logwood	4	16 3	E 24		
G Beech	9	15 25	N 10		C to H very broken, good Soil
g do	12	17 3	E 31		
H Beech	14	17 25	E 4		H to I Same
h Logwood	4	18 4	N 10		
I Sugar	17	14 6	N 18		I to J Good flammng land
i Beech	3	18 10	N 24		
K Beech	17	16 2	N 21		K to L Same
k Poplar	33	18 10	N 16		
L Logwood	4	17 31	E 14		L to M Very tolerable flammng land
l Beech	5	18 63	N 11		
M Oak	14	17 24	N 32		
m Water Oak	3	18 55	N 14		
N Ash	9	17 50	E 21		
n Hickory	7	18 58	N 8		
o Logwood	7	17 63	E 24		
o Hickory	12	17 50	N 16		
o W. Oak	18	17 35	E 15		
o Hickory	7	17 45	N 7		
a Linn	16	18 26	N 6		
a Beech	5	18 35	E 19		
a Beech	12	18 50	N 34		P to Q Flat bottom land Beech, Elm, Maple
a do	24	18 50	E 28		
a Linn	20	18 40	E 9		
a Beech	10	18 49	N 19		
a Ash	12	18 77	E 3		R to S Flat Elm bottom land
a Beech	18	18 48	N 19		
a Ash	20	18 81	N 18		
a Beech	10	18 53	E 13		
B W. Oak	14	18 63	E 27		R to S Poor hilly Oak land &c
B Beech	5	18 21	E 23		
B do	18	18 61	N 16		
B do	11	18 57	E 30		
B Sugar	14	18 28	E 5		S to T Hilly hilly land, Beech, Ash, Buckeye &c
B Beech	12	18 17	E 28		
B Ash	20	18 16	15		
B Beech	14	18 78	E 27		
T Beech	5	18 16	N 13		T to U Hilly rich land Beech, Ash, Walnut &c
do	12	18 24	E 28		
U Ash	12	18 60	N 22		
U Beech	13	18 7	N 23		
U do	9	18 30	N 13		V to V. Same
U Logwood	4	18 64	E 16		
U Beech	10	18 47	N 12		
U do	40	18 31	E 40		
V Ash	15	18 43	E 12		V to W 1st half wet bottom, 2d half good Soil, Beech Oak &c
V Maple	8	18 75	N 18		
V Maple	17	18 43	N 12		
V W. Oak	5	18 38	E 1		
W Beech	4	18 54	N 5		
W W. Oak	14	18 39	N 2		
X Beech	8	18 28	E 20		
X Logwood	15	18 10	E 22		
X Sugar	10	18 50	N 30		
X Beech	14	18 4	E 17		
Y do	24	18 28	N 33		
Y Beech	12	18 48	N 24		
do	5	18 4	N 24		
Z Beech	9	18 77	E 26		
do	7	18 79	N 50		

Interior Section Corners described

Corners of sections	Bearing trees	Inches diam.	Courses they bear	Links dist.
23.26.35.36	Beech	3	18 55 N 5	
23.24.25.26	do	12	18 61 E 25	
13.14.23.24	B. Oak	23	18 51 N 8	
11.12.13.14	Beech	16	18 49 E 26	
1.2.11.12	W. Oak	22	18 76 N 16	
26.27.34.35	B. Gum	23	18 45 E 17	
27.28.36.37	Beech	18	18 35 N 15	
14.15.22.23	do	4	18 27 E 23	
19.11.14.15	Beech	15	18 45 N 5	
2.3.10.11	Maple	19	18 71 E 4	
27.28.33.34	Beech	16	18 85 N 14	
21.22.27.28	do	14	18 27 E 44	
15.16.21.22	B. Gum	14	18 21 N 27	
9.10.15.16	W. Oak	28	18 26 E 5	
3.11.16.17	Beech	18	18 44 N 14	
28.29.32.33	Beech	5	18 36 N 5	
20.21.28.29	do	4	18 41 N 19	
16.17.20.21	Beech	16	18 68 N 16	
8.9.16.17	do	6	18 53 E 26	
4.5.8.9	Logwood	0	18 61 N 2	
24.30.31.32	do	24	18 9 E 12	
19.20.29.30	W. Oak	10	18 30 N 8	
17.18.19.20	do	14	18 18 E 19	
7.8.17.18	Logwood	8	18 88 N 8	
5.6.7.8	do	5	18 16 E 14	
	Beech	26	18 32 E 13	
	do	7	18 54 N 24	
	Logwood	4	18 23 N 5	
	do	6	18 41 E 31	
	B. Oak	18	18 75 E 7	
	do	20	18 9 N 33	
	Beech	4	18 10 E 10	
	do	18	18 35 N 21	
	Beech	4	18 88 N 24	
	do	17	18 73 E 12	
	Maple	16	18 37 N 18	
	W. Oak	20	18 38 E 26	
	Beech	22	18 42 N 4	
	Sugar	18	18 44 E 21	
	Hickory	11	18 30 E 32	
	Sycamore	11	18 77 N 14	
	Beech	9	18 38 N 3	
	W. Oak	24	18 63 E 11	
	Logwood	4	18 20 N 10	
	Sugar	4	18 50 E 11	
	Sugar	6	18 47 N 4	
	Beech	17	18 47 E 14	
	do	5	18 56 N 18	
	do	6	18 7 E 16	

Anterior Quarter Section corners described


From 1 to	Bearing trees	Inches diam.	Courses they bear	Links dist.
M to U at 1	Logwood	3	18 24 E 11	
2	Beech	18	18 18 N 16	
3	Beech	15	18 72 E 14	
4	do	18	18 4 E 22	
5	Logwood	5	18 52 E 9	
6	Logwood	5	18 32 N 13	
7	Beech	14	18 69 E 23	
8	do	9	18 76 N 25	
9	Beech	8	18 86 E 32	
10	do	11	18 60 N 15	
11	Beech	5	18 69 N 11	
12	do	10	18 29 E 13	
L to V at 1	Beech	18	18 55 E 13	
2	do	15	18 49 E 16	
3	W. Oak	23	18 6 E 11	
4	do	16	18 80 E 26	
5	Hickory	18	18 88 N 9	
6	Maple	14	18 8 E 22	
7	Beech	16	18 13 E 4	
8	Gray Ash	33	18 75 E 20	
9	Sugar	12	18 5 N 30	
10	Hamwood	3	18 69 N 4	
11	W. Oak	7	18 10 N 7	
12	do	8	18 9 E 11	
K to W at 1	W. Oak	20	18 58 N 14	
2	Beech	16	18 63 E 34	
3	Beech	14	18 36 E 19	
4	do	15	18 39 N 11	
5	Sugar	16	18 32 N 13	
6	do	16	18 10 E 15	
7	Beech	18	18 58 E 28	
8	Sugar	15	18 77 N 14	
9	Logwood	5	18 43 E 21	
10	Beech	22	18 57 E 28	
11	Beech	17	18 52 N 11	
12	Sugar	7	18 13 N 13	

Anterior Quarter Section Corners described

From 1 to	Bearing trees	Inches diam.	Courses they bear	Links dist.
I to K at 1	Beech	15	18 15 E 22	
2	do	14	18 33 N 25	
3	Beech	26	18 51 N 19	
4	do	28	18 63 E 28	
5	Logwood	4	18 46 N 28	
6	Beech	5	18 45 E 25	
7	W. Oak	3	18 67 N 13	
8	Logwood	4	18 22 E 16	
9	Hamwood	3	18 34 N 11	
10	Beech	4	18 46 E 16	
11	Beech	26	18 37 N 18	
12	do	16	18 10 E 19	
H to J at 1	Beech	3	18 38 E 15	
2	W. Oak	112	18 27 N 9	
3	W. Oak	24	18 78 E 14	
4	B. Oak	34	18 5 N 18	
5	Beech	13	18 53 N 28	
6	Hickory	6	18 7 E 18	
7	Hickory	12	18 78 E 24	
8	Beech	14	18 6 E 30	
9	Sycamore	6	18 22 N 26	
10	Sugar	13	18 14 E 29	
11	Beech	14	18 44 N 19	
12	do	4	18 57 E 16	
O to F at 1	Beech	3	18 32 N 11	
2	do	18	18 63 E 7	
3	Beech	15	18 19 N 28	
4	do	6	18 81 E 27	
5	Beech	5	18 35 E 4	
6	Logwood	6	18 21 N 13	
7	Beech	4	18 61 E 8	
8	do	18	18 17 N 25	
9	Sugar	16	18 67 N 31	
10	do	17	18 60 E 16	
11	Beech	10	18 57 N 11	
12	do	6	18 37 E 12	
P to E at 1	Beech	6	18 30 N 12	
2	do	8	18 24 E 13	
3	Beech	4	18 14 N 19	
4	do	33	18 68 E 18	
5	Beech	22	18 74 E 19	
6	Sugar	8	18 46 N 18	
7	Beech	14	18 43 N 58	
8	do	8	18 65 E 24	
9	Beech	12	18 42 E 10	
10	Hickory	14	18 24 E 14	
11	do	18	18 33 N 8	
12	do	14	18 76 E 24	
13	S 56 N 20	24	18 56 N 20	
14	Hickory	5	18 58 E 19	
15	Beech	4	18 44 E 5	
16	do	14	18 51 N 16	
17	Beech	13	18 34 E 21	
18	do	6	18 44 N 25	
19	Sugar	12	18 36 E 14	
20	do	4	18 70 N 25	
21	Hickory	16	18 26 N 18	
22	Beech	19	18 36 E 28	
23	Logwood	4	18 88 N 15	
24	W. Oak	17	18 83 E 22	
K to G at 1	Beech	3	18 69 N 2	
2	do	14	18 85 E 21	
3	Sugar	9	18 72 E 1	
4	do	22	18 88 N 11	
5	Sugar	18	18 30 N 10	
6	Beech	20	18 87 E 31	
7	Beech	7	18 41 N 20	
8	do	16	18 71 E 22	
9	Beech	2	18 32 E 14	
10	Hamwood	2	18 44 N 4	
11	Beech	21	18 24 N 5	
12	Ash	3	18 11 E 40	
S to B at 1	Beech	4	18 53 E 16	
2	do	30	18 2 N 13	
3	Hamwood	4	18 11 N 4	
4	Beech	10	18 49 E 34	
5	Buckeye	8	18 28 E 12	
6	W. Oak	6	18 53 E 15	
7	Hamwood	3	18 43 E 8	
8	Logwood	4	18 67 N 18	
9	Beech	4	18 24 N 10	
10	W. Oak	17	18 78 E 14	
11	Logwood	6	18 47 N 11	
12	do	5	18 23 E 18	

Survey of the North Range 15 & 16 of Township 10 N. Range 1 W 2 P. M.

INDIANA.
N & W 2 P. M.




See next page.

N 96 A

IND

I am sent to a contract with and instructions from James Mansfield Esq. Surveyor General of the United States bearing date the _____ day of _____ have examined and laid out and surveyed the above described township and do certify that it had such marks and bounds both natural and artificial as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's Office
Certified this 27th day of March 1856
William Harris D.

Township N^o 10 North, Range N^o 1 West, 2nd Mer. Ind



Surveyed in 1816 by *William Harris* Deputy Surveyor.

Scale, 40 chains to an Inch.


I certify that the above is a true copy of the recorded plat, in this Office.

Surveyor General's Office.
Cincinnati, Sept. 9. 1837

Robert Lytle S. G.

Township N^o X North, Range N^o I West of 2^d Meridian.

INDIANA.
N & W 2 P. M.




C. Aug. Dec
Total quantity: 17,786.99
230,6210


A true copy from the Original, on file in this Office.
Surveys General's Office. March 2^d 1820-

IND

510 St. R. 1st ~~at~~ Met. 2nd ell. ✓




The foregoing subdivisions of fractional sections are truly Copies from the Original plat in this office Surveyor General Office.
 Cincinnati Nov 2^d 1833. } M. T. Williams
 Sur. Genl.



* this tract appears to have been put down 72.44 acres, which is an error, it should be 42.72 acres —


The foregoing subdivisions of fractional sections are truly
 Copied from the original plat in this office.
 Surveyor General's Office
 Cincinnati Mo. 27. 1853
 M. T. Williams
 Surveyor

Township 10 North Range 1st West of Second Meridian 10



Pursuant to a Contract with and Instructions from Jared Mansfield Esq. Surveyor General of the United States bearing date the _____ day of _____
 I have admonished laid out and surveyed the above described township and do hereby certify that it has such marks and bounds both natural and artificial
 as are represented on this plot and described in the field notes made thereof and returned with this plat into the Surveyor General's office
 Witness my hand and seal this 27th day of March 1816
 William Harris Esq.

A	a	B	b	C	c	D	d	E	e	F	f	G
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



Continued this 27th day of March 1816

